



ADAS Performance in the Context of Typically Encountered Scenarios

Matthew Lum, M.S.

Automotive Technical Engineer, AAA



Educating consumers on the effectiveness of emerging vehicle technologies



Blind-spot warning
Automatic emergency braking (AEB)
Active parking assistance
Active driving assistance (L2)

Rear cross traffic warning
Lane departure warning
Adaptive cruise control
AEB with pedestrian detection

Testing goals



Common vehicle-pedestrian interactions



Common vehicle-pedestrian interactions



Common vehicle-pedestrian interactions



Common vehicle-pedestrian interactions



Lane-centering performance



Simulated disabled vehicle




Traffic jam assistance



Naturalistic roadway evaluation


Distribution of Highway Events by Type for All Test Vehicles (n=521)



Event Occurrences	
Lane Departure	173
Erratic Lane Position	206
Failure to Slow/Stop	7
Other	135
Total	521

- All test drivers noted the adaptive cruise functionality of evaluated systems performed well, sometimes exceeding expectations.
- Due to the frequency and unpredictability of lane-centering events, all test drivers expressed some level of distrust for each system.
- On average, one event every eight miles

Naturalistic roadway evaluation



Media coverage of consumer overreliance

Is Semi-Autonomous Safety Technology Breeding a Generation of Bad Drivers?

**Automaker
Technology Hype
Leads To
Overconfident
Drivers**

Why Level 3 automated technology has failed to take hold

Tesla Owner Hops Into Passenger Seat And Records Car Driving Itself

Watch a Tesla Model 3 smash into a fake pedestrian in an automatic-braking test in China

Germany Says Tesla Can't Advertise Autopilot, Autonomous Driving

Full research reports are available on: newsroom.aaa.com



DISCUSSION

Matthew Lum

Automotive Technical Engineer

mlum@national.aaa.com

407-444-8134